

**Report U03 Drugs of Abuse**

**Ethylglucuronid ql**

	Target Value	Participants	Conform	% Conform
Rapid Test	negative	2	2	100.00

**Amphetamine**

	Target Value	Participants	Conform	% Conform
Abbott	negative	4	4	100.00
Cobas	negative	5	5	100.00
Protzek	negative	5	5	100.00
Nal von Minden	negative	8	8	100.00
SureStep Abbott	negative	13	13	100.00
Intex	negative	3	3	100.00
Willi Fox	negative	4	4	100.00
MD Doctors Direct	negative	7	7	100.00
Clear Test	negative	4	4	100.00
Other quantitativ	negative	12	12	100.00
Others	negative	16	15	94.00
<b>Total</b>		<b>81</b>	<b>80</b>	<b>99.00</b>

**Methamphetamine**

	Target Value	Participants	Conform	% Conform
Syva Rapid Test	negative	2	2	100.00
Others	negative	25	25	100.00
<b>Total</b>		<b>27</b>	<b>27</b>	<b>100.00</b>

**Ecstasy pos/neg**

	Target Value	Participants	Conform	% Conform
Others	negative	21	21	100.00

**Barbiturates**

	Target Value	Participants	Conform	% Conform
Abbott	positive	3	3	100.00
Cobas	positive	5	5	100.00
Protzek	positive	2	1	50.00
Nal von Minden	positive	2	2	100.00
SureStep Abbott	positive	9	8	89.00
Willi Fox	positive	1	1	100.00
MD Doctors Direct	positive	3	3	100.00
Clear Test	positive	1	1	100.00
Other quantitativ	positive	6	6	100.00

Others	positive	10	8	80.00
<b>Total</b>		<b>42</b>	<b>38</b>	<b>90.00</b>

**Benzodiazepines**

	Target Value	Participants	Conform	% Conform
Abbott	negative	4	4	100.00
Cobas	negative	5	5	100.00
Protzek	negative	4	4	100.00
Nal von Minden	negative	8	8	100.00
SureStep Abbott	negative	12	12	100.00
Intex	negative	4	4	100.00
Willi Fox	negative	3	3	100.00
MD Doctors Direct	negative	8	8	100.00
Clear Test	negative	4	4	100.00
Other quantitativ	negative	15	15	100.00
Others	negative	15	15	100.00
<b>Total</b>		<b>82</b>	<b>82</b>	<b>100.00</b>

**Cannabinoide**

	Target Value	Participants	Conform	% Conform
Abbott	positive	5	5	100.00
Cobas	positive	5	5	100.00
Protzek	positive	5	4	80.00
Nal von Minden	positive	11	11	100.00
SureStep Abbott	positive	15	12	80.00
Syva Rapid Test	positive	2	1	50.00
Intex	positive	8	8	100.00
Willi Fox	positive	6	5	83.00
MD Doctors Direct	positive	9	9	100.00
Clear Test	positive	5	4	80.00
Other quantitativ	positive	14	13	93.00
Others	positive	23	21	91.00
<b>Total</b>		<b>108</b>	<b>98</b>	<b>91.00</b>

**Cocaine**

	Target Value	Participants	Conform	% Conform
Abbott	negative	4	4	100.00
Cobas	negative	5	5	100.00
Protzek	negative	5	5	100.00
Nal von Minden	negative	8	8	100.00
SureStep Abbott	negative	14	14	100.00
Syva Rapid Test	negative	1	1	100.00
Intex	negative	3	3	100.00
Willi Fox	negative	4	4	100.00
MD Doctors Direct	negative	8	8	100.00
Clear Test	negative	5	5	100.00
Other quantitativ	negative	14	14	100.00
Others	negative	18	17	94.00
<b>Total</b>		<b>89</b>	<b>88</b>	<b>99.00</b>

**Methadone**

	Target Value	Participants	Conform	% Conform
Abbott	positive	4	4	100.00
Cobas	positive	5	5	100.00
Protzek	positive	4	4	100.00
Nal von Minden	positive	6	6	100.00
SureStep Abbott	positive	12	7	58.00
Intex	positive	3	3	100.00
Willi Fox	positive	3	3	100.00
MD Doctors Direct	positive	9	7	78.00
Clear Test	positive	4	3	75.00
Other quantitativ	positive	11	10	91.00
Others	positive	17	15	88.00
<b>Total</b>		<b>78</b>	<b>67</b>	<b>86.00</b>

**Methaqualon**

	Target Value	Participants	Conform	% Conform
all Participants	negative	1	1	100.00

**EDDP**

	Target Value	Participants	Conform	% Conform
all Participants	positive	9	8	89.00

**Opiate**

	Target Value	Participants	Conform	% Conform
Abbott	negative	4	4	100.00
Cobas	negative	5	5	100.00
Protzek	negative	5	5	100.00
Nal von Minden	negative	8	8	100.00
SureStep Abbott	negative	11	11	100.00
Syva Rapid Test	negative	1	1	100.00
Intex	negative	3	3	100.00
Willi Fox	negative	4	4	100.00
MD Doctors Direct	negative	9	9	100.00
Clear Test	negative	5	5	100.00
Other quantitativ	negative	14	14	100.00
Others	negative	17	15	88.00
<b>Total</b>		<b>86</b>	<b>84</b>	<b>98.00</b>

**Buprenorphin**

	Target Value	Participants	Conform	% Conform
all Participants	negative	7	7	100.00

**6-Acetylmorphin**

	Target Value	Participants	Conform	% Conform
all Participants	negative	1	1	100.00

**Phencyclidin**

	Target Value	Participants	Conform	% Conform
Others	positive	4	4	100.00

**TCA**

	Target Value	Participants	Conform	% Conform
all Participants	negative	16	16	100.00

**LSD**

	Target Value	Participants	Conform	% Conform
Other quantitativ	negative	2	2	100.00

**Methamphetamine**

	Target Value	Participants	Conform	% Conform
Nal von Minden	negative	6	6	100.00

**Morphin**

	Target Value	Participants	Conform	% Conform
all Participants	negative	2	2	100.00

**Commentary U3**

*To one liter of urine 300 µg Thiopental, 400 µg Pentobarbital, 400 µg THC, 400 µg Methadon, 400 µg Phencyclidin, 400 µg EDDP were added. Barbiturat, Methadon, Cannabis and Phencyclidin should be positive, all others negative.*