

Report U03 Drugs of Abuse

Ethylglucuronid ql

| | Target Value | Participants | Conform | % Conform |
|------------|--------------|--------------|---------|-----------|
| Rapid Test | positive | 2 | 2 | 100.00 |

Amphetamine

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|-----------|--------------|
| Abbott | negative | 5 | 5 | 100.00 |
| Cobas | negative | 6 | 6 | 100.00 |
| Protzek | negative | 7 | 7 | 100.00 |
| Nal von Minden | negative | 8 | 8 | 100.00 |
| SureStep Abbott | negative | 14 | 14 | 100.00 |
| Intex | negative | 3 | 3 | 100.00 |
| Willi Fox | negative | 4 | 4 | 100.00 |
| MD Doctors Direct | negative | 7 | 6 | 86.00 |
| Clear Test | negative | 4 | 4 | 100.00 |
| Other quantitativ | negative | 15 | 15 | 100.00 |
| Others | negative | 14 | 12 | 86.00 |
| Total | | 87 | 84 | 97.00 |

Methamphetamine

| | Target Value | Participants | Conform | % Conform |
|-----------------|--------------|--------------|-----------|--------------|
| Syva Rapid Test | negative | 2 | 2 | 100.00 |
| Others | negative | 30 | 28 | 93.00 |
| Total | | 32 | 30 | 94.00 |

Ecstasy pos/neg

| | Target Value | Participants | Conform | % Conform |
|--------|--------------|--------------|---------|-----------|
| Others | negative | 21 | 21 | 100.00 |

Barbiturates

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|---------|-----------|
| Abbott | negative | 4 | 4 | 100.00 |
| Cobas | negative | 5 | 5 | 100.00 |
| Protzek | negative | 4 | 4 | 100.00 |
| Nal von Minden | negative | 2 | 2 | 100.00 |
| SureStep Abbott | negative | 9 | 9 | 100.00 |
| Willi Fox | negative | 2 | 2 | 100.00 |
| MD Doctors Direct | negative | 3 | 3 | 100.00 |
| Clear Test | negative | 1 | 1 | 100.00 |
| Other quantitativ | negative | 9 | 9 | 100.00 |

| | | | | |
|--------------|----------|-----------|-----------|--------------|
| Others | negative | 9 | 7 | 78.00 |
| Total | | 48 | 46 | 96.00 |

Benzodiazepines

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|-----------|--------------|
| Abbott | negative | 5 | 5 | 100.00 |
| Cobas | negative | 6 | 6 | 100.00 |
| Protzek | negative | 6 | 6 | 100.00 |
| Nal von Minden | negative | 8 | 8 | 100.00 |
| SureStep Abbott | negative | 13 | 13 | 100.00 |
| Intex | negative | 4 | 4 | 100.00 |
| Willi Fox | negative | 3 | 3 | 100.00 |
| MD Doctors Direct | negative | 8 | 7 | 88.00 |
| Clear Test | negative | 4 | 4 | 100.00 |
| Other quantitativ | negative | 16 | 16 | 100.00 |
| Others | negative | 14 | 12 | 86.00 |
| Total | | 87 | 84 | 97.00 |

Cannabinoide

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|-----------|--------------|
| Abbott | positive | 6 | 6 | 100.00 |
| Cobas | positive | 6 | 6 | 100.00 |
| Protzek | positive | 8 | 6 | 75.00 |
| Nal von Minden | positive | 11 | 9 | 82.00 |
| SureStep Abbott | positive | 16 | 13 | 81.00 |
| Syva Rapid Test | positive | 2 | 1 | 50.00 |
| Intex | positive | 6 | 3 | 50.00 |
| Willi Fox | positive | 9 | 9 | 100.00 |
| MD Doctors Direct | positive | 9 | 6 | 67.00 |
| Clear Test | positive | 6 | 5 | 83.00 |
| Other quantitativ | positive | 17 | 16 | 94.00 |
| Others | positive | 16 | 14 | 88.00 |
| Total | | 112 | 94 | 84.00 |

Cocaine

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|-----------|--------------|
| Abbott | positive | 5 | 5 | 100.00 |
| Cobas | positive | 6 | 6 | 100.00 |
| Protzek | positive | 8 | 6 | 75.00 |
| Nal von Minden | positive | 8 | 8 | 100.00 |
| SureStep Abbott | positive | 15 | 15 | 100.00 |
| Syva Rapid Test | positive | 1 | 1 | 100.00 |
| Intex | positive | 3 | 3 | 100.00 |
| Willi Fox | positive | 4 | 4 | 100.00 |
| MD Doctors Direct | positive | 8 | 7 | 88.00 |
| Clear Test | positive | 5 | 5 | 100.00 |
| Other quantitativ | positive | 17 | 17 | 100.00 |
| Others | positive | 15 | 13 | 87.00 |
| Total | | 95 | 90 | 95.00 |

Methadone

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|-----------|--------------|
| Abbott | negative | 5 | 5 | 100.00 |
| Cobas | negative | 6 | 6 | 100.00 |
| Protzek | negative | 6 | 6 | 100.00 |
| Nal von Minden | negative | 6 | 5 | 83.00 |
| SureStep Abbott | negative | 13 | 13 | 100.00 |
| Intex | negative | 3 | 3 | 100.00 |
| Willi Fox | negative | 3 | 3 | 100.00 |
| MD Doctors Direct | negative | 8 | 7 | 88.00 |
| Clear Test | negative | 4 | 4 | 100.00 |
| Other quantitativ | negative | 13 | 13 | 100.00 |
| Others | negative | 16 | 14 | 88.00 |
| Total | | 83 | 79 | 95.00 |

Methaqualon

| | Target Value | Participants | Conform | % Conform |
|------------------|--------------|--------------|---------|-----------|
| all Participants | negative | 1 | 1 | 100.00 |

EDDP

| | Target Value | Participants | Conform | % Conform |
|------------------|--------------|--------------|---------|-----------|
| all Participants | negative | 11 | 11 | 100.00 |

Opiate

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|-----------|--------------|
| Abbott | negative | 5 | 5 | 100.00 |
| Cobas | negative | 6 | 6 | 100.00 |
| Protzek | negative | 7 | 7 | 100.00 |
| Nal von Minden | negative | 8 | 7 | 88.00 |
| SureStep Abbott | negative | 12 | 12 | 100.00 |
| Syva Rapid Test | negative | 1 | 1 | 100.00 |
| Intex | negative | 3 | 3 | 100.00 |
| Willi Fox | negative | 4 | 4 | 100.00 |
| MD Doctors Direct | negative | 8 | 7 | 88.00 |
| Clear Test | negative | 5 | 5 | 100.00 |
| Other quantitativ | negative | 17 | 17 | 100.00 |
| Others | negative | 14 | 12 | 86.00 |
| Total | | 90 | 86 | 96.00 |

Buprenorphin

| | Target Value | Participants | Conform | % Conform |
|------------------|--------------|--------------|---------|-----------|
| all Participants | negative | 6 | 6 | 100.00 |

6-Acetylmorphin

| | Target Value | Participants | Conform | % Conform |
|------------------|--------------|--------------|---------|-----------|
| all Participants | negative | 2 | 2 | 100.00 |

Phencyclidin

| | Target Value | Participants | Conform | % Conform |
|--------|--------------|--------------|---------|-----------|
| Others | negative | 5 | 5 | 100.00 |

TCA

| | Target Value | Participants | Conform | % Conform |
|------------------|--------------|--------------|---------|-----------|
| all Participants | negative | 20 | 18 | 90.00 |

LSD

| | Target Value | Participants | Conform | % Conform |
|-------------------|--------------|--------------|---------|-----------|
| Other quantitativ | negative | 3 | 3 | 100.00 |

Methamphetamine

| | Target Value | Participants | Conform | % Conform |
|----------------|--------------|--------------|---------|-----------|
| Nal von Minden | negative | 6 | 6 | 100.00 |

Morphin

| | Target Value | Participants | Conform | % Conform |
|------------------|--------------|--------------|---------|-----------|
| all Participants | negative | 3 | 3 | 100.00 |

Commentary U3

12080 µg Paracetamol, 200 µg THC-COOH, 600 µg cocaine, 600 µg Benzoylcegonin and approx. 553 mg Ethanol were added to one liter of urine. Cannabinoids, Paracetamol and cocaine must be positive.